


[2016-NEW! Free Download -- 454q 200-120 VCE and PDF Dumps -- All People Are Finding (Question 21 & Question 40)]

Download valid 200-120 exam dumps from [passleader.com](#) for 100% passing the 200-120 exam now! PassLeader published the the newest complete version of 200-120 dumps collection, including 200-120 PDF dumps and 200-120 VCE dumps, all new 200-120 exam questions are available in PassLeader now, it will help you 100% passing the Cisco CCNA 200-120 exam! ATTENTION PLEASE!!! The 200-120 exam will be retired on 20/Aug/2016, then, the 200-120 exam will be totally replaced by the new 200-125 exam! The newest 200-125 exam dumps collection: <http://www.vce4shared.com/?s=200-125> Free 200-125 PDF dumps from Google Drive: https://drive.google.com/open?id=0B-ob6L_QjGLpeHlmcExhU2FVY00 keywords: 200-120 exam,454q 200-120 exam dumps,454q 200-120 exam questions,200-120 pdf dumps,200-120 practice test,200-120 vce dumps,200-120 study guide,200-120 braindumps,Cisco Certified Network Associate Exam P.S. Download Free 200-120 PDF Dumps From Google Drive:

https://drive.google.com/open?id=0B-ob6L_QjGLpbWZLMFRpS29SaW8 QUESTION 21 Which two protocols are used by bridges and/or switches to prevent loops in a layer 2 network? (Choose two.) A. 802.1dB. VTPC. 802.1qD. STPE. SAP Answer: AD QUESTION 22 Which switch would STP choose to become the root bridge in the selection process? A. 32768: 11-22-33-44-55-66B. 32768: 22-33-44-55-66-77C. 32769: 11-22-33-44-55-65D. 32769: 22-33-44-55-66-78 Answer: A QUESTION 23 A switch is configured with all ports assigned to vlan 2 with full duplex FastEthernet to segment existing departmental traffic. What is the effect of adding switch ports to a new VLAN on the switch? A. More collision domains will be created.B. IP address utilization will be more efficient.C. More bandwidth will be required than was needed previously.D. An additional broadcast domain will be created. Answer: D QUESTION 24 What are three benefits of implementing VLANs? (Choose three.) A. A higher level of network security can be reached by separating sensitive data traffic from other network traffic.B. A more efficient use of bandwidth can be achieved allowing many physical groups to use the same network infrastructure.C. A more efficient use of bandwidth can be achieved allowing many logical networks to use the same network infrastructure.D. Broadcast storms can be mitigated by increasing the number of broadcast domains, thus reducing their size.E. Broadcast storms can be mitigated by decreasing the number of broadcast domains, thus increasing their size.F. VLANs make it easier for IT staff to configure new logical groups, because the VLANs all belong to the same broadcast domain.G. Port-based VLANs increase switch-port use efficiency, thanks to 802.1Q trunks. Answer: ACD QUESTION 25 Which IEEE standard protocol is initiated as a result of successful DTP completion in a switch over Fast Ethernet? A. 802.3adB. 802.1wC. 802.1DD. 802.1Q Answer: D QUESTION 26 Which of the following are benefits of VLANs? (Choose three.) A. They increase the size of collision domains.B. They allow logical grouping of users by function.C. They can enhance network security.D. They increase the size of broadcast domains while decreasing the number of collision domains.E. They increase the number of broadcast domains while decreasing the size of the broadcast domains.F. They simplify switch administration. Answer: BCE QUESTION 27 Refer to the exhibit. A technician has installed SwitchB and needs to configure it for remote access from the management workstation connected to SwitchA. Which set of commands is required to accomplish this task?




A. SwitchB(config)# interface FastEthernet 0/1SwitchB(config-if)# ip address 192.168.8.252 255.255.255.0 SwitchB(config-if)# no shutdownB. SwitchB(config)# interface vlan 1SwitchB(config-if)# ip address 192.168.8.252 255.255.255.0 SwitchB(config-if)# ip default-gateway 192.168.8.254 255.255.255.0 SwitchB(config-if)# no shutdownC. SwitchB(config)# ip default-gateway 192.168.8.254SwitchB(config)# interface vlan 1SwitchB(config-if)# ip address 192.168.8.252 255.255.255.0 SwitchB(config-if)# no shutdownD. SwitchB(config)# ip default-network 192.168.8.254SwitchB(config)# interface vlan 1SwitchB(config-if)# ip address 192.168.8.252 255.255.255.0 SwitchB(config-if)# no shutdownE. SwitchB(config)# ip route 192.168.8.254 255.255.255.0SwitchB(config)# interface FastEthernet 0/1SwitchB(config-if)# ip address 192.168.8.252 255.255.255.0 SwitchB(config-if)# no shutdown Answer: C QUESTION 28 In an Ethernet network, under what two scenarios can

devices transmit? (Choose two.) A. when they receive a special token B. when there is a carrier C. when they detect no other devices are sending D. when the medium is idle E. when the server grants access
 Answer: CD
 QUESTION 29 Which two states are the port states when RSTP has converged? (Choose two.) A. discarding B. listening C. learning D. forwarding E. disabled
 Answer: AD
 QUESTION 30 Which two commands can be used to verify a trunk link configuration status on a given Cisco switch interface? (Choose two.) A. show interface trunk B. show interface interface C. show ip interface brief D. show interface vlan E. show interface switchport
 Answer: AE
 QUESTION 31 Which of the following statements describe the network shown in the graphic? (Choose two.)



A. There are two broadcast domains in the network. B. There are four broadcast domains in the network. C. There are six broadcast domains in the network. D. There are four collision domains in the network. E. There are five collision domains in the network. F. There are seven collision domains in the network.
 Answer: AF
 QUESTION 32 Which command enables RSTP on a switch? A. spanning-tree uplinkfast B. spanning-tree mode rapid-pvst C. spanning-tree backbonefast D. spanning-tree mode mst
 Answer: B
 QUESTION 33 Refer to the exhibit. All switch ports are assigned to the correct VLANs, but none of the hosts connected to SwitchA can communicate with hosts in the same VLAN connected to SwitchB. Based on the output shown, what is the most likely problem?



A. The access link needs to be configured in multiple VLANs. B. The link between the switches is configured in the wrong VLAN. C. The link between the switches needs to be configured as a trunk. D. VTP is not configured to carry VLAN information between the switches. E. Switch IP addresses must be configured in order for traffic to be forwarded between the switches.
 Answer: C
 QUESTION 34 What is the function of the command switchport trunk native vlan 999 on a Cisco Catalyst switch? A. It creates a VLAN 999 interface. B. It designates VLAN 999 for untagged traffic. C. It blocks VLAN 999 traffic from passing on the trunk. D. It designates VLAN 999 as the default for all unknown tagged traffic.
 Answer: B
 QUESTION 35 Refer to the exhibit. Given the output shown from this Cisco Catalyst 2950, what is the reason that interface FastEthernet 0/10 is not the root port for VLAN 2?

```

Switch# show spanning-tree interface fastethernet0/10
Vlan      Role Sts Cost      Prio.Nbr Type
-----
VLAN0001  Root FWD 19        128.1    P2p
VLAN0002  Altn BLK 19        128.2    P2p
VLAN0003  Root FWD 19        128.2    P2p
    
```

A. This switch has more than one interface connected to the root network segment in VLAN 2.B. This switch is running RSTP while the elected designated switch is running 802.1d Spanning Tree.C. This switch interface has a higher path cost to the root bridge than another in the topology.D. This switch has a lower bridge ID for VLAN 2 than the elected designated switch. Answer: C QUESTION 36Why will a switch never learn a broadcast address? A. Broadcasts only use network layer addressing.B. A broadcast frame is never forwarded by a switch.C. A broadcast address will never be the source address of a frame.D. Broadcast addresses use an incorrect format for the switching table.E. Broadcast frames are never sent to switches. Answer: C QUESTION 37Refer to the exhibit. Why has this switch not been elected the root bridge for VLAN1?

```
Switch# show spanning-tree vlan 1
VLAN0001
Spanning tree enabled protocol rstp
Root ID    Priority    20481
Address    0008.217a.5800
Cost       38
Port       1 (FastEthernet0/1)
Hello Time 2 sec Max Age 20 sec Forward
Bridge ID  Priority    32769 (priority 32768 sys-id-e
Address    0008.205e.6600
Hello Time 2 sec Max Age 20 sec Forward
Aging Time 300

Interface  Role Sts Cost    Prio.Nbr Type
-----
Fa0/1     Root FWD 19      128.1   P2p
Fa0/4     Desg FWD 38      128.1   P2p
Fa0/11    Altn BLK 57      128.1   P2p
Fa0/13    Desg FWD 38      128.1   P2p
```

A. It has more than one interface that is connected to the root network segment.B. It is running RSTP while the elected root bridge is running 802.1d spanning tree.C. It has a higher MAC address than the elected root bridge.D. It has a higher bridge ID than the elected root bridge. Answer: D QUESTION 38Which two link protocols are used to carry multiple VLANs over a single link? (Choose two.) A. VTPB. 802.1qC. IGPD. ISLE. 802.3u Answer: BD QUESTION 39Assuming the default switch configuration, which VLAN range can be added, modified, and removed on a Cisco switch? A. 1 through 1001B. 2 through 1001C. 1 through 1002D. 2 through 1005 Answer: B QUESTION 40Which statement about VLAN operation on Cisco Catalyst switches is true? A. When a packet is received from an 802.1Q trunk, the VLAN ID can be determined from the source MAC address and the MAC address table.B. Unknown unicast frames are retransmitted only to the ports that belong to the same VLAN.C. Broadcast and multicast frames are retransmitted to ports that are configured on different VLAN.D. Ports between switches should be configured in access mode so that VLANs can span across the ports. Answer: B

Download the newest PassLeader 200-120 dumps from passleader.com now! 100% Pass Guarantee! 200-120 PDF dumps & 200-120 VCE dumps:
<http://www.passleader.com/200-120.html> (454 Q&As) (New Questions Are 100% Available and Wrong Answers Have Been Corrected!) P.S. Free 200-120 PDF dumps download from Google Drive:
https://drive.google.com/open?id=0B-ob6L_OjGLpbWZLMFRpS29SaW8 (Explanation For Every Question Is Available!)