

## [2016-NEW! PassLeader 242q 70-341 Exam VCE Dumps For Free Share (Question 1 &ndash; Question 30)

Need New 70-341 Exam Dumps? Download the valid PassLeader 242q 70-341 exam dumps! PassLeader offer the newest 70-341 pdf and vce dumps, which including all the new 70-341 exam questions and answers. We PassLeader ensure that our 242q 70-341 practice test is the most valid and you can get all real exam questions with our 70-341 study guide and pdf ebook materials. We share the 70-341 sample questions with vce and pdf for free download now! keywords: 70-341 exam,242q 70-341 exam dumps,242q 70-341 exam questions,70-341 pdf dumps,70-341 practice test,70-341 vce dumps,70-341 study guide,70-341 braindumps,Microsoft Core Solutions of Microsoft Exchange Server 2013 Exam P.S. Download Free 70-341 PDF Dumps and Preview PassLeader 70-341 VCE Dumps At The End Of This Post!!! (Ctrl+End) QUESTION 1You have an Exchange Server 2013 organization. You create two distribution groups named Group1 and Group2. Group1 and Group2 each contain several hundred users. Group1 contains a user named User1. You need to configure moderation for Group2. The solution must meet the following requirements:- Email sent from the members of Group1 must NOT be moderated unless the sender is User1.- All other email must be moderated by a user named Admin1.Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Create a transport rule that has a condition of the recipient is Group2.Configure the transport rule to have an action of Forward the message for approval to Admin1.B. Run Set-DistributionGroup Group2 -Moderated By Admin1 -BypassModerationFromSendersOrMembers Group1-ModerationEnabled \$true.C. Create a transport rule that has the conditions of the sender is User1 and the recipient is Group2.Configure the transport rule to have an action of Forward the message for approval to Admin1.D. Create a transport rule that has the conditions of the sender is User1 and the recipient is Group1.Configure the transport rule to have an action of Forward the message for approval to Admin1. Answer: BC QUESTION 2You have an Exchange Server 2013 organization that contains one server named ex1.contoso.com. The server has the Mailbox server role and the Client Access server role installed. You plan to configure users to work from home and to access their email by using the Outlook Anywhere feature. Upon testing the planned configuration, you discover that the users can connect and synchronize email from home, but they cannot execute the following tasks:- Set automatic replies for Out of Office.- Download changes to the offline address book.- View availability data when scheduling meetings with coworkers.The users can execute these tasks when they work from the office. You need to ensure that the users can execute the tasks when they work from home. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Install a new certificate on ex1.contoso.comB. Modify the EWS virtual directory.C. Create a new Autodiscover virtual directory.D. Renew the certificate on ex1.contoso.com.E. Modify the OAB virtual directory. Answer: BE QUESTION 3Drag and Drop QuestionYour network contains an Active Directory forest. The forest contains a single domain named fabrikam.com. You have an Exchange Server organization that contains four servers. The servers are configured as shown in the following table.

Server name	Role	Exchange Server version
EX1	Client Access Hub Transport	Exchange Server 2010
EX2	Mailbox	Exchange Server 2010
EX3	Client Access	Exchange Server 2013
EX4	Mailbox	Exchange Server 2013

You plan to enable Outlook Anywhere for all users. You plan to configure the users to connect to the name oa.fabrikam.com. The IP address of oa.fabrikam.com points to EX3. You need to ensure that users on EX2 and EX4 can access their mailbox by using Outlook Anywhere, Which command should you run on EX1 and EX3? (To answer, drag the appropriate cmdlets to the correct servers. Each cmdlet may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

**Cmdlets**

Enable-OutlookAnywhere

Disable-OutlookAnywhere

Set-ClientAccessServer

Set-OutlookAnywhere

Set-OutlookProvider

**Answer Area**

EX1: 

Cmdlet

EX3: 

Cmdlet

www.passleader.com

Answer:

QUESTION 4 You have an Exchange Server 2013 organization named adatum.com. The organization contains two servers named EX1 and EX2 that are configured as shown in the table. Both servers are members of a database availability group (DAG). EX1 has the active copy of a database named Database1. Several users who have mailboxes in Database1 discover that all of their outbound email messages remain in their Drafts folder when they use Outlook Web App. You need to ensure that the email messages are delivered. What should you do?

Server name	Role
EX1	Mailbox, Client Access
EX2	Mailbox, Client Access

- A. On EX2, retry the message queues. B. On EX1, start the Microsoft Exchange Mailbox Transport Submission service. C. On EX2, start the Microsoft Exchange Mailbox Transport Submission service. D. On EX1, retry the message queues. Answer: B

QUESTION 5 Hotspot Question You have an Exchange Server 2013 organization that contains three servers. The servers are configured as shown in the following table.

Server name	Role	Active Directory site
EX1	Mailbox Client Access	Chicago
EX2	Mailbox Client Access	Seattle
EX3	Mailbox Client Access	Dallas

All of the servers are part of a database availability group (DAG) named DAG1. The databases are configured as shown in the following table.

Database name	Mounted on server
DB1	EX1
DB2	EX2

All of the databases replicate between all the members of DAG1. You plan to move all mailboxes from DB1 to DB2. You need to ensure that the passive copies of DB1 are in a healthy state before you move the mailboxes. Which command should you run? (To answer, select the appropriate options in the dialog box in the answer area.)

Answer:

QUESTION 6 Drag and Drop Question Your network contains an internal network and a perimeter network. You have an Exchange

Server 2010 organization that contains an Edge Transport server named EX3. You plan to upgrade the organization to Exchange Server 2013. You plan to replace EX3 and its functionalities with a new server named EX6 that has Exchange Server 2013 installed. EX6 will be used to send all email messages to and receive all email messages from the Internet and to filter spam. You need to recommend which steps are required to install EX6. EX6 must have the least number of Exchange Server roles installed. Which three actions should you recommend performing on EX6 in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Actions

Run the **Restart-Service MExchangeSubmission** command.

Install the Edge Transport server role.

Run the **Install-AntispamAgents.ps1** script.

Install the Client Access server role.

Run the **Restart-Service MExchangeTransport** command.

Run the **Update-MalwareFilteringServer.ps1** script.

Install the Mailbox server role.

Answer Area

www.passleader.com

Answer:

Actions

Run the **Restart-Service MExchangeSubmission** command.

Install the Edge Transport server role.

Run the **Install-AntispamAgents.ps1** script.

Install the Client Access server role.

Run the **Restart-Service MExchangeTransport** command.

Run the **Update-MalwareFilteringServer.ps1** script.

Install the Mailbox server role.

Answer Area

www.passleader.com

Case Study 1: Contoso Ltd (QUESTION 7 ~ QUESTION 14)OverviewGeneral OverviewContoso, Ltd., is a scientific research and supply company that has offices along the east coast of North America. The company recently completed an upgrade to Exchange Server 2013.Physical LocationsThe company has three sales offices and a research office. The sales offices are located in Atlanta, New York, and Montreal. The research office is located in Miami.Existing EnvironmentActive Directory EnvironmentThe network contains one Active Directory forest named contoso.com. The Miami office has its own domain named research.contoso.com. Each office is configured as an Active Directory site. Each site contains two domain controllers that run Windows Server 2008 R2 x64. All of the FSMO roles for contoso.com are owned by a domain controller in the New York site. All of the FSMO roles for the research.contoso.com domain are owned by a domain controller in the Miami site. One domain controller in each site is configured as a global catalog server. All of the domain controllers are configured as DNS servers. The functional level of the forest and domains is Windows Server 2008 R2.Network InfrastructureAll client computers are configured to connect to the DNS servers in their respective office only. Contoso.com has a standalone certification authority (CA) on a server that runs Windows Server 2008 R2. All offices connect to the New York office by using a high-speed WAN link.Email InfrastructureThe Exchange Server 2013 organization contains four servers in the New York office. The servers are configured as shown in the following table.

Server name	Server role
NY-EX1	Mailbox server, Client Access server
NY-EX2	Mailbox server, Client Access server
NY-EX3	Mailbox server, Client Access server
NY-EX4	Mailbox server, Client Access server

All external access for the contoso.com organization is provided through an Internet link at the New York office. Load balancing is provided by using DNS round robin. All inbound and outbound email for the domain is routed through a mail appliance in the New York office. The Exchange Server 2013 organization contains four servers in the Atlanta office. The servers are configured as shown in the following table.

Server name	Server role	Data availability group (DAG) name
ATL-EX1	Mailbox server Client Access server	NY-DAG
ATL-EX2	Mailbox server Client Access server	NY-DAG
ATL-EX3	Mailbox server Client Access server	NY-DAG
ATL-EX4	Mailbox server Client Access server	NY-DAG

The file share witness for NY-DAG is on a file server in the Atlanta office. The Exchange Server 2013 organization contains two servers in the Montreal office and two servers in the Miami office. The servers are configured as shown the following table.

Server name
MIA-EX1
MIA-EX2
MTL-EX3
MTL-EX4

All external access to the organization of the research.contoso.com domain is provided through the Internet link at the Miami office. Load balancing is provided by using DNS round robin. All inbound and outbound email for the domain goes through an email appliance in the Miami office. All Exchange Server 2013 servers run Windows Server 2012 Standard. All users have Windows Phone devices that connect to the Exchange organization by using Exchange ActiveSync. You discover the following user issues:- Some users report that, intermittently, they fail to connect to their email from their Windows Phone device.- Some users from the New York office report that some searches from Outlook Web App return incomplete results.- Some of the users in each office report that they fail to access their mailbox during the maintenance period of the Active Directory domain controllers. You verify that all of the remote users can connect to the network successfully by using a VPN connection, and can then launch Outlook successfully. Partnerships Contoso recently entered into a partnership with a company named A. Datum Corporation. A. Datum has a main office and four branch offices. The main office is located in Toronto. A. Datum has a messaging infrastructure configured as shown in the following table.

Server name	Server role	Exchange Server version	Office
Server1	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	Branch office
Server2	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	Branch office
Server3	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	Branch office
Server4	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	Branch office
Server5	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	Main office
Server6	Mailbox server Client Access server Hub Transport server	Exchange Server 2010	Main office


RequirementsPlanned ChangesContoso plans to deploy a hardware load balancer in the New York office. The load balancer must



bridge all SSL connections to the Exchange servers. You plan to deploy two new Exchange Server 2013 servers in a virtual server environment in the Miami office. The servers will host a few mailboxes as part of an evaluation of resource utilization for virtualized Exchange servers. You also plan to deploy a high availability solution for Mailbox servers in the You plan to replace the email appliance in New York because of recent power outages. Business Requirements Contoso identifies the following business requirements:- Minimize the hardware costs required for a load balancing solution.- Minimize the software costs required for a load balancing solution.- Minimize user interruptions if a service fails on a Mailbox server.- Minimize user interruptions if a service fails on a Client Access server. QUESTION 7 You need to identify which business requirement will be met by implementing the planned hardware load balancer. Which business requirement should you identify? A. Minimize the hardware costs required for a load balancing solution. B. Minimize the software costs required for a load balancing solution. C. Minimize user interruptions if a service fails on a Client Access server. D. Minimize user interruptions if a service fails on a Mailbox server. Answer: C QUESTION 8 You need to resolve the search issue reported by the users in the New York office. You restart the Microsoft Exchange Search service and discover that the active copy of the mailbox database has a content indexing status of Unknown. What should you do next? A. Rebuild the content index. B. Run the Update-MailboxDatabaseCopy cmdlet and specify the -manualresume parameter. C. Restart the Microsoft Exchange Mailbox Replication service. D. Run the Update-MailboxDatabaseCopy cmdlet and specify the -catalogonly parameter. Answer: A QUESTION 9 You need to ensure that all of the email messages sent from the Internet to adatum.com are routed through the contoso.com organization. What should you create in contoso.com? (Each correct answer presents part of the solution. Choose all that apply.) A. a contact object for each adatum.com recipient B. an internal relay accepted domain for adatum.com C. a Send connector that is configured to point to the contoso.com transport servers D. a Send connector that is configured to point to the adatum.com transport servers E. an authoritative accepted domain for adatum.com Answer: BD QUESTION 10 You need to prevent several users in the Miami office from establishing more than two concurrent Exchange ActiveSync connections to the Exchange Server organization. The solution must affect only the users in the Miami office. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.) A. Create a new throttling policy that has the Organization scope. B. Create a new throttling policy that has the Global scope. C. Create a new throttling policy that has the Regular scope. D. Run the Set-ThrottlingPolicyAssociation cmdlet. E. Run the Set-ThrottlingPolicy cmdlet. F. Remove the default throttling policy. Answer: CD QUESTION 11 You need to recommend a temporary solution to reroute all of the outbound email messages through the Miami mail appliance during the planned replacement of the New York mail appliance. What are three possible ways to achieve the goal? (Each correct answer presents a complete solution. Choose three.) A. Modify the value of the SmartHost of the Send connector in the New York office. B. Increase the cost of the Send connector in the Miami office. C. Increase the cost of the Send connector in the New York office. D. Decrease the cost of the Send connector in the New York office. E. Modify the value of the SmartHost of the Send connector in the Miami office. F. Disable the Send connector in the New York office. Answer: ACF QUESTION 12 Hotspot Question You are evaluating a DAG design for the New York and Atlanta offices. You need to ensure that all of the users in the New York and Atlanta offices can access their mailbox if the WAN link fails. Which DAG design should you deploy? To answer, select the appropriate DAG design in the answer area




Answer:



QUESTION 13Hotspot QuestionYou discover that one of the Client Access servers in the New York office does not trust the standalone CA. You need to ensure that all of the users who have Windows Phone devices can connect successfully to their mailbox. In which node should you install the root CA certificate? To answer, select the appropriate node in the answer area.



Answer:



QUESTION 14 You plan to deploy an Exchange Server 2013 organization. You need to recommend a solution to ensure that a user named User1 can access email messages by using Exchange ActiveSync on an Android device. The solution must prevent all other users from using Android devices to access email by using Exchange ActiveSync. What should you recommend doing first? A. Run the Set-CasMailbox cmdlet. B. Create a device access rule. C. Modify the Quarantine Notification settings. D. Create a mobile device mailbox policy. Answer: B

Case Study 2: Litware, Inc (QUESTION 15 ~ QUESTION 21)

Overview Litware, Inc., is a manufacturing company located in North America. The company has a main office and two branch offices. The main office is located in Chicago. The branch offices are located in Baltimore and Los Angeles.

Existing Environment

Active Directory Environment The network contains one Active Directory forest named litwareinc.com. Each office is configured as an Active Directory site. All domain controllers in the Los Angeles office run Windows Server 2008 R2. All domain controllers in the Chicago office run Windows Server 2003 Service Pack 1 (SP1). All domain controllers in the Baltimore office run Windows Server 2012. All of the FSMO roles are located on a domain controller in the Baltimore office. All of the domain controllers are configured as global catalog servers. You have a distribution group for each department. The distribution groups contain all of the users in each respective department.

Network Infrastructure The servers in each office are configured as shown in the following table.

Office location	Server name
Los Angeles	LA-EX1
Los Angeles	LA-EX2
Baltimore	BA-EX1

The Baltimore and Chicago offices have independent Internet connections. Internet connectivity for the Los Angeles office is provided through Chicago. Users frequently send large email messages to other users in the company. Recently, you increased the maximum message size to 50 MB.

Planned Changes The company plans to deploy a new Exchange Server 2013 infrastructure that will contain two Client Access servers and two Mailbox servers in the Chicago office. The servers will be configured as shown in the following table.

Server name	Server role
CH-EX2	Mailbox server
CH-EX3	Mailbox server
CH-EX4	Client Access server
CH-EX5	Client Access server

All client connections to the Exchange Server organization will be routed through a hardware load balancer. The name

client.litwareinc.com will point to the virtual IP address of the hardware load balancer. Once the transition to Exchange Server 2013 in the Chicago office is complete, all mail flow to and from the Internet will be managed centrally through that office by using a Send connector that has the following configurations:- Connector name: CH-to-Internet- Address space: \*- Source servers: CH-EX2, CH-EX3- Cost: 10 QUESTION 15 You need to recommend changes to the network to ensure that you can deploy the planned Exchange Server 2013 infrastructure. What should you recommend? A. Transfer of the FSMO roles to a domain controller in the Chicago office.B. Change the forest functional level.C. Change the domain functional level.D. Change the operating system on one of the domain controllers in the Chicago office. Answer: D QUESTION 16 Hotspot Question You need to identify which names must be used as the URLs of each virtual directory on the planned Exchange Server 2013 servers. Which names should you identify? To answer, configure the appropriate name for each server in the answer area.

[www.passleader.com](http://www.passleader.com)  
Answer Area

CH-EX2

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

CH-EX3

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

CH-EX4

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

CH-EX5

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

Answer:

[www.passleader.com](http://www.passleader.com)  
Answer Area

CH-EX2

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

CH-EX3

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

CH-EX4

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com

CH-EX5

CH-EX2.litwareinc.com  
CH-EX3.litwareinc.com  
CH-EX4.litwareinc.com  
CH-EX5.litwareinc.com  
client.litwareinc.com  
outlook.litwareinc.com



QUESTION 17You need to recommend which tasks must be performed to deliver email messages to the Internet if CH-EX2 and CH-EX3 fail to connect to the Internet. The solution must ensure that all queued email is sent. Which two tasks should you recommend? (Each correct answer presents part of the solution. Choose two.) A. Run the retry-queue ch-to-internet command.B. Create a new Send connector on a server in the Baltimore office.C. Modify the cost of the CH-to-Internet Send connector.D. Run the set-sendconnector -identity ch-to-internet -frontendproxyenabled \$true command.E. Disable the CH-to-Internet Send connector. Answer: BE QUESTION 18Drag and Drop QuestionYou need to create and configure a hierarchical address book (HAB) named Litware to reflect the company's organizational chart. Which three actions should you perform? To answer, move the three appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Create an organizational unit (OU) named Litware.	
Run the <b>Set-OrganizationConfig</b> cmdlet and specify the - <i>hierarchicaladdressbookroot</i> parameter.	
Run the <b>Set-Group</b> cmdlet and specify the - <i>ishierarchicalgroup</i> parameter for each distribution group in the HAB.	
Create a root distribution group named Litware.	
Set the SeniorityIndex parameter of each distribution group in the HAB.	

Answer:

Actions	Answer Area
Create an organizational unit (OU) named Litware.	Create a root distribution group named Litware.
Run the <b>Set-OrganizationConfig</b> cmdlet and specify the - <i>hierarchicaladdressbookroot</i> parameter.	Run the <b>Set-OrganizationConfig</b> cmdlet and specify the - <i>hierarchicaladdressbookroot</i> parameter.
Run the <b>Set-Group</b> cmdlet and specify the - <i>ishierarchicalgroup</i> parameter for each distribution group in the HAB.	Run the <b>Set-Group</b> cmdlet and specify the - <i>ishierarchicalgroup</i> parameter for each distribution group in the HAB.
Create a root distribution group named Litware.	
Set the SeniorityIndex parameter of each distribution group in the HAB.	

www.passleader.com

QUESTION 19Drag and Drop QuestionYou are planning the upgrade to Exchange Server 2013. You plan to perform the following tasks:- Identify the number of email messages sent and received by the users in the current Exchange Server organization.- Identify how many IOPS are required to provide adequate access to mailboxes for all of the users in the planned organization.- Validate that all of the planned servers will meet the IOPS requirements of the planned organization.You need to identify which tool must be used to achieve each task. Which tools should you identify? To answer, drag the appropriate tool to the correct task in the answer area. Each tool may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Tools	Answer Area
Exchange Mailbox Server Role Requirements Calculator	Identify the number of email messages sent and received by the users in the current Exchange Server organization. Tool
Microsoft Exchange Server Deployment Assistant	Identify how many IOPS are required to provide adequate access to mailboxes for all of the users in the planned organization. Tool
Microsoft Exchange Server Jetstress 2010	Validate that all of the planned servers will meet the IOPS requirements of the planned organization. Tool
Microsoft Exchange Server Profile Analyzer	

www.passleader.com

Answer:

Tools

Exchange Mailbox Server Role Requirements Calculator

Microsoft Exchange Server Deployment Assistant

Microsoft Exchange Server Jetstress 2010

Microsoft Exchange Server Profile Analyzer

Answer Area

Identify the number of email messages sent and received by the users in the current Exchange Server organization.

Identify how many IOPS are required to provide adequate access to mailboxes for all of the users in the planned organization.

Validate that all of the planned servers will meet the IOPS requirements of the planned organization.

Microsoft Exchange Server Profile Analyzer

Exchange Mailbox Server Role Requirements Calculator

Microsoft Exchange Server Jetstress 2010

QUESTION 20 You are testing the planned implementation of Exchange Server 2013. After you begin moving several mailboxes to Exchange Server 2013, you discover that users on the internal network that have been moved are prompted repeatedly for their credentials when they run Microsoft Outlook. You run the Get-OutlookAnywhere cmdlet on CH-EX4, and receive the following output. You need to prevent the internal users from being prompted for their credentials when they connect to their mailbox by using Outlook. Which property should you modify by using the Set-OutlookAnywhere cmdlet?

```
SSLOffloading: True
ExternalHostname: Client.litwareinc.com
InternalHostname: CH-EX4.litwareinc.com
ExternalClientAuthenticationMethod: Basic
InternalClientAuthenticationMethod: NTLM
IISAuthenticationMethods: <Basic>
```

A. IISAuthenticationMethods  
B. InternalHostname  
C. ExternalHostname  
D. ExternalClientAuthenticationMethod  
E. InternalClientAuthenticationMethod  
Answer: A

QUESTION 21 Drag and Drop Question You need to identify which external namespaces must be used for the Exchange servers in each office. Which external namespaces should you identify for each office? To answer, drag the appropriate namespace to the correct office in the answer area. Each namespace may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Namespaces

\$null

autodiscover.litwareinc.com

client.litwareinc.com

failbackurl.litwareinc.com

legacy.litwareinc.com

Answer Area

Baltimore legacy.litwareinc.com

Los Angeles \$null

Chicago client.litwareinc.com

autodiscover.litwareinc.com

Case Study 3: A. Datum Corporation (QUESTION 22 ~ QUESTION 30) Overview A. Datum Corporation is an airline catering company that has 8,000 users. A. Datum has three main offices. The offices are located in Detroit, Chicago, and New York. Existing Environment Active Directory Environment The network contains an Active Directory forest named adatum.com. The forest contains a single domain. All domain controllers run Windows Server 2012. Each main office contains two domain controllers. Each office is configured as an Active Directory site. The functional level of the forest is Windows Server 2012. Network Infrastructure The offices connect to each other by using a dedicated WAN link. Only the office in New York and the office in Detroit connect directly to the Internet. Each office has a firewall. The public DNS records for A. Datum are configured as shown in the following table.

DNS record
Adatum.com
Mail.adatum.com
Autodiscover.adatum.com
Detroitmail.adatum.com
Autodiscover.detroit.com

The external interface for the firewall in the New York office is configured to use an IP address of 131.107.1.200 and to pass inbound traffic on port 25 and port 443 to EX2. The external interface for the firewall in the Detroit office is configured to use an IP address of 131.107.2.200 and to pass inbound traffic on port 443 to EX4. The Active Directory site is configured as shown in the Sites exhibit. (Click the Exhibit button.)Exchange Server OrganizationA. Datum has an Exchange Server 2013 organization that contains two servers. The servers are configured as shown in the following table.

Server name	Role	Site
EX1	Mailbox Client Access	Chicago
EX2	Mailbox Client Access	New York

Each server contains 15 mailbox databases. Users use the name mail.adatum.com to connect to their mailbox from the Internet. The users use the FQDN of the servers to connect from the internal network. AM of the users in the Detroit office have a mailbox hosted on EX2. The default email address policy contains a single email address format of @adatum.com. A separate Send connector exists for the Chicago office and the New York office. The local servers in each office are the only source servers in each Send connector. The New York office is configured as a hub site. Antimalware filtering is disabled on EX1 and EX2.Problem StatementsA. Datum identifies the following issues:- Users in the Detroit office report that sometimes, Microsoft Outlook takes a long time to open.- During a recent storage failure, administrators failed to restore the latest backup and lost all of the email messages from the previous 48 hours.- Users report that the email messages sent to some Internet domains are not received. Users in the Chicago office report that some of their email messages generate a non-delivery report (NDR).- The help desk in the New York office reports that its most common Exchange-related task is to restore email messages that were deleted by users more than 14 days ago. The task requires time-consuming restore operations by the help desk.RequirementsBusiness RequirementsA. Datum wants to provide users with the ability to access their email from Internet Explorer 10, even when the users are disconnected from the network. This ability must only be available if the users log on to Outlook Web Access by using the Private option.Planned ChangesYou plan to deploy three additional Exchange Server 2013 servers. The servers will be configured as shown in the following table.

Server name	Role
EX3	Mailbox
EX4	Client Access
EX5	Client Access

After the planned deployment, all of the mailboxes of the Detroit office users will be moved to EX3. All of the Detroit office users will use the name detroitmail.adatum.com when they connect from the Internet and the name ex4.adatum.com when they connect from the internal network.Technical RequirementsA. Datum identifies the following technical requirements:- All existing and future mailboxes must be limited to 5 GB of storage.- Antimalware and anti-spam filtering must be enabled for the entire Exchange Server organization.- If storage for the mailbox database fails, administrators must be able to recover email messages handled by transport services for to the last five days.- Only the members of a group named Executives must be able to schedule meetings in a room mailbox named Boardroom. Meeting requests must not be moderated.- All of the servers in the New York office that have the Client Access server role installed must be accessed by using a load balancing solution that can mark a server as down if a specific URL on the server is unavailable.Mailbox Creation RequirementsA. Datum identifies the following requirements for creating new mailboxes: - All mailboxes must automatically have single item recovery enabled.- All mailboxes must automatically have the Exchange ActiveSync feature disabled. QUESTION 22Hotspot QuestionYou need to recommend a solution to meet the technical requirements for mailbox size restrictions. Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)

Answer Area

5GB

Get-Mailbox	Get-Mailbox	-IssueWarningQuota
Get-MailboxDatabase	Get-MailboxDatabase	-ProhibitSendQuota
Set-Mailbox	Set-Mailbox	-ProhibitSendReceiveQuota
Set-MailboxDatabase	Set-MailboxDatabase	

Answer:

www.passleader.com

Answer Area

Get-Mailbox	Get-Mailbox	-IssueWarningQuota
Get-MailboxDatabase	Get-MailboxDatabase	-ProhibitSendQuota
Set-Mailbox	Set-Mailbox	-ProhibitSendReceiveQuota
Set-MailboxDatabase	Set-MailboxDatabase	

5GB

QUESTION 23 Drag and Drop Question You need to recommend a solution to meet the technical requirements for email message recovery. Which command should you include in the recommendation? (To answer, configure the appropriate options in the answer area.)

www.passleader.com

Answer Area

Set-MailboxTransportService	-MaxDumpsterTime
Set-TransportConfig	-MessageExpirationTimeout
Set-TransportServer	-SafetyNetHoldTime
Set-TransportService	-ShadowMessageAutoDiscardInterval

5.0:00:00

Answer:

www.passleader.com

Answer Area

Set-MailboxTransportService	-MaxDumpsterTime
Set-TransportConfig	-MessageExpirationTimeout
Set-TransportServer	-SafetyNetHoldTime
Set-TransportService	-ShadowMessageAutoDiscardInterval

5.0:00:00

QUESTION 24 You are evaluating the planned deployment of the additional Exchange Server 2013 servers. You need to recommend changes to the DNS records to ensure that email messages are routed to the Detroit site if the servers in the New York site are unavailable. What should you recommend adding? A. An MX record that has a preference value of 10 that points to EX4B.

An MX record that has a preference value of 20 that points to EX4C. An MX record that has a preference value of 10 that points to EX3D. An MX record that has a preference value of 20 that points to EX3 Answer: B QUESTION 25 You need to recommend a solution to resolve the issue of email messages not being received on the Internet. What should you include in the solution? A. Modify the CNAME record. B. Add an MX record. C. Modify the TXT record. D. Add a pointer (PTR) record. Answer: D

QUESTION 26 You need to recommend a solution for the New York office that meets the technical requirements for client access. What should you include in the recommendation? (Each correct answer presents a complete solution. Choose all that apply.) A. A Layer 4 hardware load balancer B. A Client Access server array C. A Layer 7 hardware load balancer D. The Network Load Balancing (NLB) feature E. DNS round robin Answer: AC

QUESTION 27 You need to recommend a solution to meet the mailbox creation requirements. Which three actions should you recommend performing in sequence? (To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.)

Actions	Answer Area
Copy the ScriptingAgentConfig.xml file to all of the Mailbox servers.	
Run the <b>Enable-CmdletExtensionAgent "Scripting Agent"</b> command.	
Run the <b>Set-CmdletExtensionAgent "Scripting Agent"</b> command.	
Copy the ScriptingAgentConfig.xml file to all of the Client Access servers.	
Edit the ScriptingAgentConfig.xml.sample file, and then rename the file as ScriptingAgentConfig.xml.	

www.passleader.com



Answer:

Actions	Answer Area
Copy the ScriptingAgentConfig.xml file to all of the Mailbox servers.	Edit the ScriptingAgentConfig.xml.sample file, and then rename the file as ScriptingAgentConfig.xml.
Run the <b>Enable-CmdletExtensionAgent "Scripting Agent"</b> command.	Copy the ScriptingAgentConfig.xml file to all of the Mailbox servers.
Run the <b>Set-CmdletExtensionAgent "Scripting Agent"</b> command.	Run the <b>Enable-CmdletExtensionAgent "Scripting Agent"</b> command.
Copy the ScriptingAgentConfig.xml file to all of the Client Access servers.	
Edit the ScriptingAgentConfig.xml.sample file, and then rename the file as ScriptingAgentConfig.xml.	

www.passleader.com

QUESTION 28Hotspot QuestionYou need to recommend a solution to meet the business requirements for users accessing their email messages. Which command should you include in the recommendation? (To answer, select the appropriate options in the answer area.)

Answer Area

Set-CASMailbox	-AllowOfflineOn
Set-ClientAccessArray	-DirectFileAccessOnPrivateComputersEnabled
Set-OutlookProvider	-OrganizationEnabled
Set-OWAVirtualDirectory	-WSSAccessOnPrivateComputersEnabled

PrivateComputersOnly

\$true

-LogonPagePublicPrivateSelectionEnabled
-PlacesEnabled
-PremiumClientEnabled
-PublicFoldersEnabled

www.passleader.com

Answer:

Answer Area

Set-CASMailbox	-AllowOfflineOn
Set-ClientAccessArray	-DirectFileAccessOnPrivateComputersEnabled
Set-OutlookProvider	-OrganizationEnabled
Set-OWAVirtualDirectory	-WSSAccessOnPrivateComputersEnabled

PrivateComputersOnly

\$true

-LogonPagePublicPrivateSelectionEnabled
-PlacesEnabled
-PremiumClientEnabled
-PublicFoldersEnabled

www.passleader.com

QUESTION 29Drag and Drop QuestionYou are evaluating the planned deployment of the additional Exchange Server 2013 servers. You need to meet the technical requirement for installing all of the anti-spam agents and for enabling antimalware filtering. What should you do? (To answer, drag the appropriate servers to the correct locations. Each server may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Servers	Answer Area
EX1	Servers on which to install all of the anti-spam agents
EX2	
EX3	
EX4	
EX5	Servers on which to enable antimalware filtering

www.passleader.com

Answer:

Servers	Answer Area
EX1	EX1
EX2	Servers on which to install all of the anti-spam agents.
EX3	www.passleader.com
EX4	EX1
EX5	Servers on which to enable antimalware filtering.
	EX2
	EX3

QUESTION 30 You are evaluating the deployment of the additional Exchange Server 2013 servers. You need to recommend changes to the transport configurations to ensure that all email messages sent from the Detroit office are routed through EX2. What should you include in the recommendation? A. Increase the cost of the CHI-NY site link to 15. B. Specify an Exchange-specific cost of 20 for the CHI-DET site link. C. Decrease the cost of the CHI-NY and the DET-NY site links to 4. D. Increase the cost of the DET-NY site link to 15. Answer: B

Download Free 70-341 PDF Dumps From Google Drive:

[https://drive.google.com/open?id=0B-ob6L\\_QjGLpfjZ2U1ZfVEZvU0ZreTJkNG1xdmxiS0xUYkdHWVMxWFNRVDhOYTlyRzBjOXM](https://drive.google.com/open?id=0B-ob6L_QjGLpfjZ2U1ZfVEZvU0ZreTJkNG1xdmxiS0xUYkdHWVMxWFNRVDhOYTlyRzBjOXM) (Explanation For Every Question Is Available!) PassLeader 70-341 VCE Dumps Screenshots:

PL PassLeader Leader of IT Certifications PassLeader Premium

Mark Question 7 of 15 (Litware, Inc. Q3)

Drag and Drop Question

You need to identify which external namespaces must be used for the Exchange servers in each office. Which external namespaces should you identify for each office? To answer, drag the appropriate namespaces to the correct office. Each namespace may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between lists.

Namespaces

- \$null
- autodiscover.litwareinc.com
- client.litwareinc.com
- failbackurl.litwareinc.com
- legacy.litwareinc.com

Answer Area

- Baltimore
- Los Angeles
- Chicago

Overview Case Study Question

Previous Next Review

PL PassLeader Leader of IT Certifications PassLeader Premium 70-341 VCE Dumps Preview

Mark Question 13 of 15 (Litware, Inc. Q3) Pause 01:18:07

You are testing the planned implementation of Exchange Server 2013. After you begin moving several mailboxes to Exchange Server 2013, you discover that users on the internal network that have been moved are prompted repeatedly for their credentials when they run Microsoft Outlook. You run the Get-OutlookAnywhere cmdlet on CH-EX4, and receive the following output. You need to prevent the internal users from being prompted for their credentials when they connect to their mailbox by using Outlook. Which property should you modify by using the Set-OutlookAnywhere cmdlet?

```
SSLOffloading: True
ExternalHostname: Client.litwareinc.com
InternalHostname: CH-EX4.litwareinc.com
ExchangeCertificateThumbprint: 1234567890ABCDEF
InternalClientAuthenticationMethod: InternalClientAuthenticationMethod
ExternalClientAuthenticationMethod: ExternalClientAuthenticationMethod
```

www.passleader.com

A. InternalClientAuthenticationMethod  
B. InternalHostname  
C. ExternalHostname  
D. ExternalClientAuthenticationMethod  
E. InternalClientAuthenticationMethod

Overview Case Study Question

Previous Next Review Show Answer Show List

Save Session End Exam

Download New 70-341 VCE Dumps From PassLeader: <http://www.passleader.com/70-341.html> (New Questions Are 100%)

Available and Wrong Answers Have Been Corrected!!!)